

**AMENDED**  
**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER**  
**OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF**  
**NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 25 2001  
 Returned to applicant for correction JUL 24 2001  
 Corrected application filed AUG 28 2001  
 Map filed AUG 28 2001

\*\*\*\*\*

The applicant **The Pahrump Family Mortuary Emil and Mildred Jannsen** hereby make application for permission to change the point of diversion and place of use of a portion of water heretofore appropriated under **Permit #28203 Cert 8986**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **0.0184 CFS 4.0 afa**
3. The water to be used for **Irrigation & Domestic**
4. The water heretofore permitted for **Irrigation & Domestic**
5. The water is to be diverted at the following point **Within the SW4 NW4 Sec. 12 T.21S., R.53E., M.D.B.&M. or a point from which th W4 corner bears S 87° 33' 05" W a distance of 608.56 feet.**
6. The existing permitted point of diversion is located within **SE4 SE4 Sec. 14, T.21S., R.53E., M.D.B.&M. or at a point from which the SE corner of said Sec. 14, Bears S 86° 10' 45" E a distance of 847.88 feet.**
7. Proposed place of use **A portion of the SW4 NW4 Sec, 12 T.21S., R.53E. M.D.B.&M. being Lot 4 of parcel map file 395644 of Nye County Recorders, A portion of 8.97 acres to be irrigated.**
8. Existing place of use **SE4 SE4 Sec. 14, T.21S. R.53E. M.D.B.&M. 9.11 acres irrigated. 0.80 acres is being stripped from the certificated place of use as illustrated.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works
12. Estimated cost of works **\$20,000.00**
13. Estimated time required to construct works **8" well with pump & 500 gallon tank 2 years to construct works**
14. Estimated time required to complete the application of water to beneficial use **4 years**
15. Remarks:

s/Richard L. Hafen  
 By **Richard L. Hafen**  
**2383 Gateway RD.**  
**Las Vegas, Nevada 89115**

Compared my/cmf lt/gkl

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 28203, Certificate 8986 is issued subject to the terms and conditions imposed in said Permit 28203, Certificate 8986 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 67700 and 70578 shall not exceed 5.0 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

Permit 67700 is granted for the irrigation of 0.8 acres within the described place of use.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0184 cubic feet per second, but not to exceed 4.0 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 14, 2006

Proof of completion of work shall be filed on or before:

May 14, 2006

Water must be placed to beneficial use on or before:

April 14, 2009

Proof of the application of water to beneficial use shall be filed on or before:

May 14, 2009

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 14th day of April, A.D. 2005



State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

N/A

Certificate No. \_\_\_\_\_

Issued \_\_\_\_\_

